ILLEGIB

S-18551

NPIC/R-136/65

June 1965

PHOTOGRAPHIC INTERPRETATION REPORT

PORT FACILITIES
KUANG-CHOU, CHINA

CIA

DIA

Declass Review by NIMA/DOD

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

NPIC/R-136/65

Item 1 (Figure 2) is a new, quayed fill area with approximately 2,400 linear feet of wharfage. It was still under development in ☐ ☐ Item 2 is a quayed fill area containing a maritime passenger terminal and approximately 140,000 square feet of covered storage.

The rail-served, walled Huang-pu Port Facilities (Figure 3) is a well-developed, deep-water facility with 11 piers, 4,800 linear feet of wharfage, approximately 750,000 square feet of covered storage, and approximately 130 acres of open storage. A small unnamed boatyard near the center of the facility contains a new graving dock (not yet operational), 2 covered building ways, and a marine railway.

KUANG-CHOU
(CANTON)

6 FLOATING
SHEARLEGS CRANES

HO-NAN TAO

SOUTHEAST
RAIL TERMINAL

Items 1 and 2 keyed to text
Red indicates new construction

—+— Railroad
——— Embanked shoreline
⊨ Bridge
• POL tank
Built-up area

1000 0   5000
FEET (APPROXIMATE)

500   0   1000
FEET (APPROXIMATE)

FIGURE 2. KUANG-CHOU PORT FACILITIES, KUANG-CHOU, CHINA.

- 2 -

25X1D
25X1D

Item 1 (Figure 2) is a new, quayed fill area with approximately 2,400 linear feet of wharfage. It was still under development in [____] [____] Item 2 is a quayed fill area containing a maritime passenger terminal and approximately 140,000 square feet of covered storage.

The rail-served, walled Huang-pu Port Facilities (Figure 3) is a well-developed, deep-water facility with 11 piers, 4,800 linear feet of wharfage, approximately 750,000 square feet of covered storage, and approximately 130 acres of open storage. A small unnamed boatyard near the center of the facility contains a new graving dock, (not yet operational), 2 covered building ways, and a marine railway.


FIGURE 2. KUANG-CHOU PORT FACILITIES, KUANG-CHOU, CHINA.

- 2 -

NPR/R-116/65

25X1D

Red indicates new construction
— Railroad
— Fence
— Wall
△ Floodlight tower
FEET (APPROXIMATE)

Item	Function	Dimensions (ft)	Remarks
1	Coal storage	4,000 x 800	Rail served
2	T-head pier	115 x 25	
	Approach	100 x 25	
3	T-head pier		
	Approach	140 x 20	
4	Pontoon	100 x 40	
5	T-head pier	115 x 25	Covered
	Approach	150 x 25	
6	Marginal wharf	680 x 50	Coaling facility
7	Pier	75 x 30	Covered
8	Boat yard		
	Graving dock	100 x 30	Not in service
	Building ways (2)	125 x 25	Covered

Item	Function	Dimensions (ft)	Remarks
	Marine railway	75 x 25	
9	T-head pier		
	Approach	115 x 15	
10	Secured storage area	1,350 x 650	Rail served
10A	Probable refrigerated storage	230 x 190	Multistory
10B	Covered storage	60,000 sq ft (approx)	
11	T-head pier	100 x 25	
	Approach	115 x 20	
12	T-head pier	140 x 15	
	Approach	60 x 15	
13	T-head pier	150 x 40	
	Approach	100 x 25	

25X1D

Item	Function	Dimensions (ft)	Remarks
14	Marginal wharf	330 x 50	1 Mobile crane
15	T-head pier	80 x 30	
	Approach	190 x 30	
16	Marginal wharf	340 x 30	
17	T-head pier	140 x 20	
	Approach	135 x 15	
18	Marginal wharf	2,885 x 90	Rail served, 6 portal cranes, 4 mobile cranes
19	Covered storage	5,000,000 sq ft (approx)	
20	Marginal wharf	520 x 50	2 mobile cranes
21	Covered storage	190,000 sq ft (approx)	
22	Breasting platforms (2)	45 x 45	

FIGURE 3. HUANG-PU PORT FACILITIES, KUANG-CHOU, CHINA.

- 3 -

25X1D

5

25X1D

REFERENCES

25X1C

DOCUMENT

    1. National Intelligence Survey. *Communist China*. NIS 39A Section 3, pages 7-22, Fig 3-35 (SECRET)

CHARTS

    US Air Target Mosaic, Series 50, Sheets 0614-6 1MA and 0614-6 2MA. 2d ed, Sep 60 (SECRET

    US Air Target Chart, Series 200, Sheet 0614-6HL. 3d ed, Feb 63 (SECRET

REQUIREMENT

NPIC PROJECT

    12037/64

- 4 -